

25



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/505,429	02/16/2000	Takao Toi	Q57908	7134

7590 03/18/2005
Sughrue, Mion, Zinn, MacPeak & Seas
2100 Pennsylvania Avenue N.W.
Washington, DC 20037

EXAMINER

LAROSE, COLIN M

ART UNIT PAPER NUMBER

2623

DATE MAILED: 03/18/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Application Number: 09/505,429
Filing Date: February 16, 2000
Appellant(s): TOI, TAKAO

MAILED

MAR 1 8 2005

Technology Center 2600

Carl Pellegrini
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed 12 November 2004.

MAILED

MAR 1 8 2005

Technology Center 2600

(1) *Real Party in Interest*

A statement identifying the real party in interest is contained in the brief.

(2) *Related Appeals and Interferences*

A statement identifying the related appeals and interferences which will directly affect or be directly affected by or have a bearing on the decision in the pending appeal is contained in the brief.

(3) *Status of Claims*

The statement of the status of the claims contained in the brief is correct.

(4) *Status of Amendments After Final*

No amendment after final has been filed.

(5) *Summary of Invention*

The summary of invention contained in the brief is correct.

(6) *Issues*

The appellant's statement of the issues in the brief is correct.

(7) *Grouping of Claims*

The rejection of claims 1-22 stand or fall together because appellant's brief does not include a statement that this grouping of claims does not stand or fall together and reasons in support thereof. See 37 CFR 1.192(c)(7).

(8) *Claims Appealed*

The copy of the appealed claims contained in the Appendix to the brief is correct.

Art Unit: 2623

(9) Prior Art of Record

5,486,853	BAXTER et al.	1-1996
5,301,344	KOLCHINSKY	4-1994
5,754,227	FUKUOKA	5-1998

(10) Grounds of Rejection

The following grounds of rejection are applicable to the appealed claims and were set forth in a prior Office Action, mailed on 12 May 2004. [Reproduced here for convenience.]

5. Claims 1-4, 7-10, 11-14, and 17-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 5,486,853 by Baxter et al. ("Baxter") and U.S. Patent 5,301,344 by Kolchinsky.

Regarding claims 1, 11 and 21, Baxter discloses an image processing system (figures 8 and 9), an image processing method of the system comprising:

executing digital image processing of interval of active pixel by processor 66 (figure 8) to perform various functions on pixel data (column 7, lines 18-31: automatic gain control, luminance derivation, etc.);

executing digital control pre- or post-processing according to commands issued during an interval of non-active pixel (i.e. during blanking periods); [Column 7, lines 48-55: control commands are received by processor 70 during blanking period and executed accordingly.]

executing digital image processing again (each field of an image constitutes a different active/non-active region, so digital image processing is repeated for every field in order to process an entire image).

Art Unit: 2623

Baxter is silent to utilizing an FPGA for executing said image and control processing wherein first and second internal logic descriptions, corresponding to each processing, are written to the FPGA. Instead, Baxter teaches utilizing dedicated processors 66 and 70 for executing each type processing.

Kolchinsky discloses a reconfigurable image processing system (figure 2) that is implemented by FPGAs (22 and 26, figure 2), wherein arithmetic unit 26 is operative to process image data. Kolchinsky teaches that, conventionally, separate image processing operations require separate hardware (column 1, lines 23-24). Baxter, as noted above, requires separate processors (66, figure 8, and 70, figure 9) for image processing and control processing.

Kolchinsky's system uses reconfigurable gate arrays to perform a variety of operations, so that processing algorithms "can be changed easily and quickly without hardware replacement" (column 2, lines 1-2). That is, the image processing functions of multiple dedicated processors such as those taught by Baxter are performed by a single reconfigurable FPGA (arithmetic unit 26, figure 2) disclosed by Kolchinsky.

With reference to figure 3, first, the command corresponding to the operation to be executed is read from the command file at step 50. Then, the code corresponding to the operation is identified and placed into a register at step 52. Then, the command is executed at step 58 on the condition that proper reconfiguration of internal logic has occurred.

Kolchinsky teaches (figure 4) that both image processing (e.g. image compression, color processing) and control processing (e.g. zooming/panning) are executed by the arithmetic unit 26 (figure 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention to replace Baxter's separate processors 66 and 70 by Kolchinsky's reconfigurable FPGAs to achieve the claimed invention since Kolchinsky provides a much simpler and more hardware-efficient system for effecting image and control processing. As explained above, Kolchinsky discloses all operations necessary to perform said digital image processing and said digital control processing are performed in a single field programmable gate array -- arithmetic unit 26.

Regarding claims 2 and 12, Baxter teaches there is provided an image pick-up element (CCD 22, figure 9), the system executing color signal processing during active pixel interval and control processing during non-active interval, as addressed above for claim 1.

Regarding claims 3 and 13, Baxter teaches interval of non-active pixel is a VBI (column 7, lines 48-51).

Regarding claims 4, 7, 14, and 17, Baxter does not expressly disclose utilizing the HBI and optical black pixel interval as non-active regions, however, effecting control processing during the HBI and optical black pixel intervals was well-known by those skilled in the art and was a common practice at the time the invention was made.

Regarding claims 8-10 and 18-20 Baxter (column 7, lines 18-31) and Kolchinsky (figure 4) disclose performing white balance, AF, and lightness control processing.

Regarding claim 22, Baxter's image processing and control pre- or post-processing occur in one frame (e.g. control signals for AGC are transmitted during the vertical blanking period for performing automatic gain control of the active region of the frame).

Art Unit: 2623

6. Claims 5, 6, 15, and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Baxter and Kolchinsky, and further in view of U.S. Patent 5,754,227 by Fukuoka.

Regarding claims 5, 6, 15, and 16, Baxter (column 7, lines 40-43) and Kolchinsky (figure 4) teach executing compression but do not expressly disclose executing control processing, such as code quantity control, in relation to the image compression in the non-active interval.

Fukuoka discloses a camera interface similar to that of Baxter wherein control commands are issued during the non-active interval (column 8, lines 40-43). Fukuoka also teaches performing compression on the active part of the image and teaches that control commands sent during the non-active interval comprise compression parameters, such as a scale factor, or code quantity (column 10, lines 7-19).

It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Baxter and Kolchinsky by Fukuoka to achieve the claimed invention since the ability to adjust the compression ratios and scale factors, as taught by Fukuoka, provides control over the compression operations.

(11) Response to Argument

INTERPRETATION OF “INTERVAL OF ACTIVE PIXEL” AND “INTERVAL OF NON-ACTIVE PIXEL”

Video signals conventionally consist of an “active” interval and a “non-active” interval. The active interval constitutes the actual image data, whereas the non-active interval constitutes those portions of the signal that contain blanking intervals. The blanking intervals that appear at the end of each line of video data are called the horizontal blanking intervals (HBI). The purpose of the HBI is to provide an indication that the video data has reached the end of a line. A video

Art Unit: 2623

signal is simply a stream of data, so without the presence of the HBIs, one would not know where one line of image data ends and where the other begins. Similarly, the vertical blanking interval (VBI) appears at the end of each image frame in order to indicate the ending of one frame and the beginning of another.

EXPLANATION OF BAXTER

Figures 8 and 9 of Baxter illustrate a camera system. The system includes two processors, 66 and 70. Processor 66 executes operations that correspond to the claimed “digital image processing” – e.g. automatic gain control, luminance derivation, color correction, etc. – see column 7, lines 18-31. These operations of processor 66 are considered to be executed in the “interval of active pixel,” because the operations are performed on the actual image data.

In contrast, processor 70 executes “digital control processing” in the “interval of non-active pixel.” In column 7, lines 48-61, Baxter discloses that the processor 70 receives control signals during VBI for performing control operations such as focusing, zooming, panning, and tilting. These control operations are considered to correspond to the claimed “digital control processing” because they control the operation of the camera rather than process the actual image data.

Thus, Baxter utilizes processor 66 to execute “digital image processing” in the “interval of active pixel” and processor 70 to execute “digital control processing” in the “interval of non-active pixel.”

However, the claimed invention calls for utilizing a field programmable gate array (FPGA), which is a reprogrammable processor, to perform both the digital image and digital control processing during the active and non-active intervals, respectively. According to the

Art Unit: 2623

claimed invention, once digital image processing is executed, the “internal logic description” of the FPGA is rewritten to a second internal logic description (that is, the FPGA is reprogrammed), and digital control processing is then executed. Then, the FPGA is reprogrammed so that it once again can perform the digital image processing operations, and digital image processing is again executed.

In other words, the claimed invention calls for programming an FPGA to perform image processing on data in the active interval and then executing the image processing. Then, the FPGA is reprogrammed to perform control processing during the non-active region, and the control processing is then executed. Next, the FGPA is once again reprogrammed to perform image processing on data in the active region, and the image processing is executed again.

APPLICATION OF KOLCHINKSY

Kolchinsky was relied upon to cure the deficiency in Baxter, who utilizes separate processors rather than a single FPGA. As Kolchinsky teaches,

Conventional data processing systems such as image data processors require extensive hardware to perform a series of arithmetic logic operations on the data. For example, image data requires the operations of image acquisition, spatial filtering, temporal filtering, histogram equalization, image display, to name just a few. Each such operation requires a separate hardware implementation in separate boards or separate gate arrays. Such implementations are expensive and are relatively inefficient in the sense that while all the necessary hardware is always present it is being utilized only a small part of the time during the period when its particular operation in the series is called for. (emphasis added)

Kolchinsky is describing the exact situation found in Baxter wherein separate processors perform separate operations relating to video data, and each processor is only being utilized part of the time – either during the active interval or the non-active interval. To combat this problem

Art Unit: 2623

of “expensive” and “inefficient” implementations, Kolchinsky discloses employing a single FPGA to replace multiple processors: “[i]t is a further object to provide such a reconfigurable sequential processor which uses the same gate arrays reconfigurable in time to implement specific generators and arithmetic logic units” (column 1, lines 56-61). The FPGA is reprogrammed by software (column 1, line 55) so its algorithm can be changed easily without hardware replacement (column 2, lines 1-2). Also, the FGPA is well-known and commercially available (see column 6, lines 51-54).

As established above in the grounds of rejections, it would have been obvious to modify Baxter in view of Kolchinsky to replace Baxter’s separate processors with a single reprogrammable processor, or FPGA, because Kolchinsky teaches the utilization of a single FPGA, in lieu of multiple processors, is more efficient.

RESPONSE TO ARGUMENTS FOR CLAIMS 1-20

Appellant argues that the combination of Baxter and Kolchinsky is invalid for claims 1 and 11 because “Kolchinsky does not disclose or suggest using an FPGA to perform digital control processing” (Appeal Brief, p. 6). Appellant contends that the “zooming/panning” process executed by Kolchinsky’s FPGA is not digital control processing. Instead, Appellant asserts that the zooming & panning taught by Kolchinsky relates to “manipulation of the captured image, not to control of the system” (Appeal Brief, p.6).

Examiner disagrees with the above assertions that (1) zooming & panning does not constitute “digital control processing,” and (2) Kolchinsky does not disclose an FPGA utilized to perform digital control processing.

As established above in the grounds for rejection, Kolchinsky discloses a list of exemplary functions in figure 4 that are performed by the FPGA. Among the list of functions is “zooming/panning,” which Appellant asserts is not digital control processing.

In drafting a patent application, applicants are allowed to be their own lexicographers in defining the meaning of terms, provided that the terms are well-defined and their crafted meanings do not contradict customary usage. However, Kolchinsky did not provide an explicit definition of the terms “zooming” and “panning,” so those terms should be construed in accordance with their conventional usage. “Zooming” and “panning” are well-known terms of art that refer to operations for controlling the position of the camera lens and the position of the camera head, respectively, as expressly taught by Baxter (column 7, lines 51-61). There is no evidence to suggest that Kolchinsky’s usage of “zooming” and “panning” differs from this conventional usage. Therefore, zooming & panning constitutes “digital control processing,” and Kolchinsky is considered to expressly disclose performing “digital control processing” with an FPGA.

Furthermore, Kolchinsky discloses an “image acquisition” function in figure 4. This function presumably refers to an operation for controlling the acquisition of an image, such as turning a camera on or off. Kolchinsky does not expressly disclose what “image acquisition” entails, but it can be implied that this function also refers digital control processing carried out by the FPGA.

Also, regardless of whether Kolchinsky discloses his FPGA performing “digital control processing,” the combination of Baxter and Kolchinsky should still be valid. Baxter discloses performing the necessary digital image and digital control processing, and Kolchinsky was only

Art Unit: 2623

relied upon to show that it was obvious and advantageous to replace Baxter's separate processors with a single FPGA. In general, FPGAs are multi-purpose, reprogrammable processors that are capable of performing virtually any operation or algorithm that can be executed by a dedicated processor. Even if Kolchinsky did not expressly disclose performing digital image and control processing with an FPGA, that omission would not negative the fact FPGAs are capable of performing such processing, nor should it render the proposed combination invalid.

Nevertheless, Kolchinsky unequivocally demonstrates in figure 4 that the disclosed FPGA is capable of performing both the claimed digital image and digital control processing.

In the first two paragraphs on page 7 of the Brief, Appellant argues against the Baxter reference alone. However, the rejection was made based on the combination of Baxter and Kolchinsky. One cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); In re Merck & Co., 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

In the third paragraph on page 7 of the Brief, Appellant argues that the combination of Baxter and Kolchinsky is invalid because Baxter's processors 66 and 70 cannot be combined for logistical reasons. Appellant does not allege that the proposed combination changes the principle of operation of Baxter or render Baxter inoperable for its intended purpose. Rather, Appellant merely alleges that, "in order to combine processor 66 and CPU 70, it would be necessary to use a wired logic processing device, such as an ASIC (application-specific integrated circuit), instead of a general purpose CPU." It is unclear how this allegation, if true, would affect the proposed combination. Kolchinsky's FPGA is arguably an application-specific device in that it performs specific functions for which it is programmed. As Kolchinsky teaches, FPGAs are versatile

Art Unit: 2623

devices that can be programmed to perform a variety of specific operations, and there would have been a reasonable expectation of success in replacing Baxter's separate processors with Kolchinsky's FPGA

Moreover, the test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference; nor is it that the claimed invention must be expressly suggested in any one or all of the references. Rather, the test is what the combined teachings of the references would have suggested to those of ordinary skill in the art. See In re Keller, 642 F.2d 413, 208 USPQ 871 (CCPA 1981). See also In re Sneed, 710 F.2d 1544, 1550, 218 USPQ 385, 389 (Fed. Cir. 1983) ("[I]t is not necessary that the inventions of the references be physically combinable to render obvious the invention under review."); and In re Nievelt, 482 F.2d 965, 179 USPQ 224, 226 (CCPA 1973) ("Combining the teachings of references does not involve an ability to combine their specific structures.").

With regards to claims 2-10 and 12-20, Appellant asserts they should be allowable for the same reasons as claims 1 and 11. Examiner asserts claims 2-10 and 12-20 should be rendered obvious for the reasons stated above for claims 1 and 11.

RESPONSE TO ARGUMENTS FOR CLAIMS 21 and 22

With regards to claims 21 and 22, Appellant asserts they should be allowable for the same reasons as claims 1 and 11. Examiner asserts claims 21 and 22 should be rendered obvious for the reasons stated above for claims 1 and 11.

In addition, Appellant alleges that the “pre-processing or post-processing” limitation is not disclosed or suggested by the cited references. Examiner disagrees with this allegation.

Claim 21 differs from claim 1 primarily in that the “control processing” is further refined as control “pre-processing or post-processing relating to said image processing.” Examiner does not consider this feature to distinguish the claim from the combination of Baxter and Kolchinsky. For example, the control processes of zooming and panning disclosed by both Baxter and Kolchinsky are “pre-processes related to the image processing,” in that Baxter’s camera is controlled by zooming and panning prior to capturing image data and performing image processing thereon – e.g. an operator would want to pan the camera or zoom on an object prior to capturing images of the object; the captured images would then be subjected to image processing operations, such as compression or color correction. In other words, controlling the camera is a pre-process in that it occurs prior to processing captured image data.

For the above reasons, it is believed that the rejections should be sustained.

Art Unit: 2623


Respectfully submitted,


Colin M. LaRose
Examiner
Art Unit 2623

CML
March 7, 2005

Conferees
Amelia Au 
Ed Coles

Sughrue, Mion, Zinn, MacPeak & Seas
2100 Pennsylvania Avenue N.W.
Washington, DC 20037


AMELIA M. AU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600


EDWARD COLES
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600